Gene Codes Corporation



SEQUENCHER CONNECTIONS

Power with Simplicity

Sanger, NGS, and RNA-Seq all in one easy-to-use package

Sequencher 5.4.5 for Sanger Sequencing Analysis

You're in control with Sequencher's powerful, user-friendly tools and features.

Sequencher is intuitive, so each step from importing your reads to assembly to searching for SNPs and heterozygotes is straightforward. Sequencher is flexible. You can adjust parameters and preferences and save them to easily standardize your workflow.

Contract Paged				
India Passes Passes Internet	1.44.0.0	the fact state \$ 200 million in	near the Independent of the	-
feet when Associate is the check lists have been the	nigen, figera	brace to Million (1)	the main a long	100.000.000
Beth	78.0	10.1	Detr0C	L futter
Ally	AIN	1123-8Ps	Ref. Contig of 15	Fri, Jun 17, 201
T G AS	AS .	\$124 BPs	Ref. Config of 15	Frit, July 17, 201
*# 105	/DR	\$125 BPs	Ref. Contig of 15	Fei, Jun 17, 201
*3/G5	- 95	\$124 BPS	Ref Config of 16	Fri, Jun 17, 201
= CWB	OWNE	\$124 GPs	Ref. Control of 15	Fri, Jun 17, 201
= SHU	14.1	104 0Px	Ref. Contig of 15	Fit, Jun 17, 201
H G LEW	JFK	1127 BPs	Haf Conta of 17	Fei, Jun 17, 201
SUK .	JK .	1123 BPs	Hall Contro of 15	Pol, Jun 17, 201
J JK 01081942 PrimertR	35	332 BPs	AutoSeg Prag. SDF	Mon Sap 13.2
J. JK. 2009 X. PramertR	.36	332 049	AutoSep Frag. SCF	More: Sap 43, 2
J. JK. 2001-X. PrimertF		429 BPs	AutoSeq Frag. SCF	Thu: Sep 23 Jr
J JK GROBINGP Printer/FF		439 82%	AutoSwg Frag. SCF	Thu: Sep 23, 21
Alexensee		7123 BPH	Aler DRA Lingsment	Fri: Dec 02, 20
J. JK. 2001 X. Primer3F		423 5/2	AutoSec Frag. SCF	Thu Sep 23 21
J JK 01001042 Primor3F		472 6 42	AstenSeg Frag. SCF	The Sep 23.2t
1 22 22				+[

Sequence editing and trimming tools


Sequencher makes it easy to clean up raw data by trimming vector, low quality base calls, and other artifacts. Rapid editing tools let you correct sequencing errors before or after they have been incorporated into alignments.


Assembly and alignment

Perform de novo or reference-based assembly with flexible, understandable parameters. Take advantage of your laboratory's naming conventions to assemble multiple samples from multiple sources using Assembly by Name. Use Clustal or MUSCLE plugins for multiple-sequence alignment.

Detect SNPs and produce reports

Analyze traces locally or globally to find secondary, uncalled peaks. Use the Sequencher Variance Table to navigate your assemblies, discover SNPs, and more. Generate reports that quickly and clearly document your findings.





Sequencher Connections

Sequencher Connections allows you to run multiple analyses in parallel.

Sequencher Connections is your portal to local and remote analyses. Connections allows you to run multiple analyses on one or more sequences in parallel. The Connections control panel updates in real time to show you the progress of each analysis on each part of your data, so you can explore them as they complete. Simultaneously run multiple instances of the same application with different parameters and see how the results compare graphically.


Run multiple BLAST searches simultaneously.


As an example of how you can use Connections, you can connect with NCBI over the internet and BLAST your DNA sequences against multiple GenBank databases, run the same query sequences using different parameters, and simultaneously use Local Blast to search databases stored on your machine. At the same time, you can run PrimerBlast to design primers and check their specificity, and then save your predicted primers to your Sequencher project. You can save your Sequencher Connections sessions to view your results later, even after they have expired on the NCBI website.

Perform multiple-sequence alignments with MUSCLE.

Another example of using Connections is trying different variable settings for multiple-sequence alignments and comparing the resulting phylogenetic trees. You can run the same sets of sequences at the same time with different parameter settings, or test the impact of adding or removing some samples from your alignment. As each alignment completes, the indicator in the Connections control panel turns green to let you know that the data is ready to review, even while other analyses are still running.







Sequencher 5.4.5 for NGS Analysis

Use the top tools developed by bioinformatics researchers with an easy-to-use interface.

Most NGS tools utilize the command line. Sequencher provides an interface that gives access to all of the power of those tools, without the command line.

Our plugin lineup features Velvet for de novo assembly and Maq, GSNAP, and BWA for reference guided alignment. For each algorithm, Sequencher let you use recommended settings or set up Advanced parameters. Each Advanced parameter is accompanied by a description and setting it is as easy as a single click and changing the values to suit your data


Align to whole genome reference sequences using GSNAP and BWA-MEM

You can create permanent reference sequence databases (GSNAP) and indexes (BWA-MEM) from FASTA sequences and then align to those databases or indexes. Building the databases or indexes ahead of time saves time when you use the same reference sequence multiple times. When you go to align the databases or indexes will appear in GSNAP or BWA's list of available reference sequences. The index and database files are cross platform, so you can share them with collaborators on different kinds of computers.

Additional analysis options

Use Multiplex ID barcodes with GSNAP, BWA-MEM, or Velvet to sequence a mixture of DNA samples in a single run. GSNAP offers additional analysis options. You can perform SNP-tolerant and RNAtolerant alignments and generate analysis reports. You can align bisulfite-treated reads and generate a methylation analysis report.

177 Rate	date .	Alexandra a	tion	Nation Photogram
Contenting (Steel)	proceeding all some	1000	10.46	Contraction of the
susficientiation for	100201-0.01	10.4	mane	
Realities of an internal	Southern and	ind	10110	
Burlan Television fing	COLUMN TWO IS	-	10041	
00000000000000000000000000000000000000	310000101010-004	WHERE -	13,016	
Republic Line Testility	ADDRESS AND POST	844	.0.1140	
basis file 2: A'droque Unate read; files has inspiri 2: Austing and the association in Austing the 2: The Mark spectrum in		Date: Teque		agis baariitii baa
County read?. Daving Sandy Rais 5 or parrets i Ann langth: 21	4 		Parameteria	agis baaritti basa



nputi	Data Films		
Hune	nOvonosone1	Current reference seg or in	
Hime	nOvenessene1	and the second s	
NC_0	009012	12	
_	Contraction of Contraction		
Option	a - BWAMEM		
1	Match Score	4 Mismatch Penalty	
ē	Gap Open Penalty	1 Gap Extension Penalty	
10	Insert Filter	Alvanced (Edl)	
Surren	t Results Folder		
C'IUs	ers\Jason/Documents\Gene Codes	SequencherleNA	
lesi T	lesuts Using		
	blet	C None	
× 18			

Argument	Value	Description
u- (S)	17	Penalty for an unpaired read pair.
-R		Read group header line for SAM files, such as "@RG\dD:foo\4
-H		Insert STR to header if it starts with Ø.
0.4		Treat ALT contigs as part of the primary assembly (i.e. ignore
2 4	10	Don't output alignment with score lower than the set value.
🖸 -h	5,200	If a query has not more than INT hits with score higher than _
+ -		
4 19 -= 100 4J 17 4		
Restore Defaults		OK Cancel

Sequencher 5.4.5 for NGS Analysis

Check the quality of your FastQ reads files.


>> Use Sequencher's FastQC plugin to produce quality control reports of your data. Check up to 11 different metrics including per base and per sequence quality and GC content


Variant calling


You can utilize SAMtools to analyze the output from your GSNAP or BWA-MEM alignments for variants, saved in the standard VCF format. Then explore the alignments and the variants in the Tablet genome browser.


Viewing assemblies and alignments.

View your NGS results using Tablet in a number of different modes. Get information on individual reads and read pairs and arrange the stacking of the reads to reveal pairings. Customize the color of the individual bases, variants, read types, and read groups. Annotate alignments with GTF and VCF files. Tablet has controls to enable translations, zoom in and out, as well as highlight variant bases, making it a cinch to explore your reads.









Sequencher 5.4.5 for RNA-Seq Analysis

Easily perform powerful RNA-Seq analyses with Sequencher's user-friendly interface.

Extend Sequencher with more options for RNA-Seq analysis. Plugin algorithms from the Cufflinks¹ suite can be downloaded right from the Gene Codes website (www.genecodes.com), including tools for normalizing and quantifying NGS data. In addition, the graphical user interface lets you have complete and easy-to-understand control of Advanced options that would require you to set flags and in-line parameters if you were using the same tools from the command line. Add annotated replicates to your workflow with ease using Sequencher's Conditions and Replicates editor.

Unique tools to help you organize and streamline your analyses

Sequencher's External Data Browser makes it easy to track and organize your NGS runs. Add free-form text annotations to each run to remind you about data and parameters. View any alignment in Tablet without opening its project and delete old space-consuming runs without having to spend time searching for them.

24 Huma	Coen Loo Res Delete Runs Elate	Algorithm	Size	Notes Perview	-
unatibeobS8422375af	8/26/2015 12-45 AM	Augentain	410148	noses Preview	ľ
un9633022b01100110	8/26/2015 11-08 AM	Cultimorge	4.33 MB		
un231e471cde2496a2	8/26/2015 11:34 AM	Cuttinks	3.82 MB	late sample 2	1
unb9a4f59e3dace421	8/26/2015 11-22 AM	Cultines	2.93 MB	lete sample 1	
un41395425ee57e63a	8/26/2015 11:32 AM	Cuffinks	3.85 MB	early sample 2	
un04ea0b140d6df7ca	8/26/2015 11-30 AM	Cuttinks	3.85 MB	early comple I	
unaadb48cff0683272	5/29/2015 2/31 PM	Cuttinks	666.00 bytes		
un0588570bd2196941	1/15/2015 5:50 PM	Culture	\$.15 MB		
un688cc567e89cbc0d	1/15/2015 5:57 PM	Culfmarge	1.01 MB		
un8ac639fbef4c57d3	1/15/2015 4:53 PM	Cuttinks	2.60 MB		
.4\Dample Data\ANA-Deg 1 .4\Sample Data\ANA-Seg 1 ondition isbel: iste sam	2.2.1 (4237)". ample, Input file(Data\esrly_cample Data\esrly_sample sple, Input file(s	L.bam Ci\Puoy 2.bam): Ci\Program .bam C:\Program	ran Files (#16	(6)\Gene Codes\Sequencter #86)\Gene Codes\Sequencter ()Gene Codes\Sequencter (8)\Gene Codes\Sequencter	

out Data Files			
Adl Renove 1	tout Films	Requirement satisfied	
Input KAAARAAI or Coll	Time Rev started	itions and replicate analysis. You nas	e at lasse 2 mereliiners.
Input Files Preview			
C.Program Files (C.Program Files ((85)Gene ((85)Gene (Cocesilite, attriRNA-Seq Data/ear Cocesilite, attriRNA-Seq Data/ear Cocesilite, Data/RNA-Seq Data/te Cocesilite, Data/RNA-Seq Data/te	ty_sample 2.bam
Rome are 2 conditions Your data includes rep		nd.	
Select Merged	and in case of the local division of	C:UsersUason/Docum_Im	erged_asmimerged.gf
OTY file produced by C	-Tronga		
Select Reference		Optional	
FASTA Ne of sensitivit	Hebrences to	Regment bies spredion	
Select GTF 5	lask file	Optional	
017 Ne containing abu	ndert tenso	ofs to be ignored or mailed	
tions			
Treat As Time Sere			
Runstanded	•l us	an Tana	
	-		
posted	• 0m	persion Method	
geometric	• 110	ary Normalization Method	Advanced (Edit)
ment Filmulte Felder			
UsenUseonDocu	sents/Gene	Cades/Sequencher/Culfdlf	

Argument	Wille	Description	
🕑labels	early late	Comme segurated fat of condition labels.	
-FDR	0.05	False discovery rate used in testing.	
🗆		Use 'rescue method' for mylti-meds-	
Ma-on-		Don't generate differential analysis files	
🔄 na-ja-teala		Darit perform isoform switching tests.	
🗖fag-len-mean	200	Average fragment length (unpaired reads only).	
Current Pacaheters -labels early, late -no-leng	ph-correction		

¹ Cole Trapnell, Brian A Williams, Geo Pertea, Ali Mortazavi, Gordon Kwan, Marijke J van Baren, Steven L Salzberg, Barbara J Wold, and Lior Pachter. Transcript assembly and quantification by RNA-Seq reveals unannotated transcripts and isoform switching during cell differentiation. Nature Biotechnology 28, 511–515 (2010).

Sequencher 5.4.5 for RNA-Seq Analysis

Design publication-quality plots and charts with Sequencher's customizable visualization tools.


Sequencher has easy-to-use visualization tools that allow you to produce high-quality charts and plots without worrying about command-line statistical programming or forcing your data into a spreadsheet. Choose your data and view your results as a Scatter Plot, Volcano Plot, or Bar Chart.

Interactive charts and plots

The charts and plots are linked to the underlying data. Search by gene name or geneID to locate your data of interest. Click on a bar or data point to view more information in the data table, or click on a line in the data table to locate that data point in the graph.

Customize and export charts and plots.

Sequencher allows you to select and plot on only the genes you want to focus on. Sort the data and then choose which rows you want to include or exclude from your plot. Once you have the graph you want, you can export it as a high-resolution png file.









Make the move to Sequencher 5.4.5 for powerful, easy-to-use analysis for all of your sequencing data.

With your Sequencher licenses you get:

» Free upgrades and unlimited technical support for one year

» Flexible licensing options designed to meet your needs

Licenses are available for Windows, Macintosh, or Dual Platform. You can choose between a Standalone License, a Shared Network License, or an Institution-Wide Site License, and decide whether you want a USB license key (dongle) or a softwarebased dongle-free license.

We won't throw you in the deep end. Your Sequencher license comes with unlimited technical support for one year. Our extensive tutorials and videos show you how to get the most out of your data with Sequencher.

Visit www.genecodes.com to download Sequencher 5.4.5. Request an evaluation license to try Sequencher today.

Contact Information:

(734) 769-7249

775 Technology Drive Suite 100A Ann Arbor, MI 48108 USA <u>gcinfo@genecodes.com</u>

-2015 Gene Codes Corp. All rights reserved.